

### 606 Universal Shelving System 620 Chair Programme 621 Table

---

#### Honest pricing

We charge all our customers a single, fair, honest price.  
[vitsoe.com/honestpricing](https://vitsoe.com/honestpricing)

All prices are subject to change.  
[vitsoe.com/terms](https://vitsoe.com/terms)

#### Delivery and export

Delivery charges are calculated during the ordering process based on the value of your order.  
[vitsoe.com/delivery](https://vitsoe.com/delivery)

#### Installation and assembly

You can install the shelves or assemble the chairs yourself (we supply fixings, detailed instructions and templates) or with the help of a capable friend.

In many regions we can install and assemble for you. Contact us for more details.

#### Constantly evolving


For more than half a century we have made furniture to which you can add whenever you need. As that furniture has evolved in response to a changing world some technical details, colours, materials and textures may now differ from those you already own. This ethos ensures that your latest purchase is the best we can make today.

#### Contact

[email@vitsoe.com](mailto:email@vitsoe.com)  
T +44 (0)1926 936 606  
T +44 (0)20 7428 1606

# 606 Universal Shelving System

Scale 1:50



## E-Track

Anodised aluminium  
These may be added together  
lengthways. NB a single pin-hole  
is omitted at the join of two tracks.

Height  
cm      Width  
cm      Depth  
cm

USD

57.....2.....2	<b>60</b>
114.....2.....2	<b>80</b>
171.....2.....2	<b>95</b>
200.....2.....2	<b>105</b>
228.....2.....2	<b>110</b>

For single shelf. Shelf is level  
with top and bottom of the E-Track.  
Solid wall, X-Post or H-Post only.  
Light loading only.


11.....2.....2	<b>40</b>
----------------	-----------

For single cabinet. Cabinet is level  
with top and bottom of the E-Track.  
Cannot be added to bottom of  
existing E-Track.

39.5.....2.....2	<b>50</b>
------------------	-----------

Cutting charge

**25**



## X-Post

Anodised aluminium

Recommended  
E-Track      Height

If semi-wall mounted,  
supplied with floor plate.  
If compressed, supplied  
with floor and ceiling  
plates.

171	up to 230	<b>320</b>
200	231–260	<b>341</b>
228	261–290	<b>362</b>

For semi-wall mounted,  
select overall height.  
For compressed, select  
ceiling height.

200+57	291–320	<b>383</b>
171+114	321–350 max	<b>404</b>

**H-Post** available for taller  
or free-standing systems




## Wall bracket

Powder-coated aluminium  
2 per X-Post or 3 if height is 300cm+

12.5.....12.5.....6–7	<b>50</b>
12.5.....12.5.....10–11	<b>60</b>

## Barrel extension


1.5.....1.5.....6.5	<b>25</b>
---------------------	-----------



## Cross rail

Anodised aluminium  
2 per bay or 3 if height is 300cm+

5.....62.5.....1.5	<b>95</b>
5.....86.7.....1.5	<b>110</b>
17.5.....62.2.....1.5	<b>185</b>
17.5.....86.7.....1.5	<b>200</b>



Scale 1:20

## Stabilising foot

Powder-coated aluminium  
Single  
One pair

17.5.....4.5.....46	<b>125</b>
17.5.....4.5.....80	<b>250</b>



Scale 1:20






















## Cable conduit (grey)

For use with cross rails and X-Posts

2.....57.....1.5	<b>13</b>
3.....81.5.....3	<b>19</b>


















# 606 Universal Shelving System

Scale 1:50

Scale 1:50			Height cm	Width cm	Usable depth cm	Off-white, silver, black USD	Beech USD
		<b>Metal shelf</b> May be hung either way up. Capacity: 62 CDs, 43 DVDs	11 .....	65.5 .....	16	<b>110</b>	
			11 .....	65.5 .....	22	<b>120</b>	
			11 .....	65.5 .....	30	<b>130</b>	
			11 .....	65.5 .....	36	<b>140</b>	
		Capacity: 86 CDs, 60 DVDs	11 .....	90 .....	16	<b>135</b>	
			11 .....	90 .....	22	<b>145</b>	
			11 .....	90 .....	30	<b>155</b>	
			11 .....	90 .....	36	<b>165</b>	
		<b>Shelf with hanging rail</b>	11 .....	65.5 .....	36	<b>240</b>	
			11 .....	90 .....	36	<b>280</b>	
		<b>Bookend</b> Left or right. Non-tip, non-slip	Low High	10.5 .....	10.5 .....	15 21	<b>35</b> <b>40</b>
		<b>Sloping shelf</b> Metal	79° 79°	39.5 .....	65.5 .....	22 22	<b>190</b> <b>210</b>
			18° 18°	11 .....	65.5 .....	36 36	<b>165</b> <b>185</b>
		<b>Mounting panel</b> Polyurethane lacquer with aluminium sides		35.5 .....	65.5 .....	3 3	<b>205</b> <b>230</b>
		<b>Single shelf</b> (light loading) Painted or beech veneered, with aluminium sides, may be hung either way up		11 .....	65.5 .....	36 36	<b>305</b> <b>350</b>
		<b>Double shelf</b> Painted or beech veneered, with aluminium sides, may be hung either way up		11 .....	65.5 .....	36 36	<b>415</b> <b>480</b>
		<b>Desk shelf</b> Laminate <sup>1</sup> or beech veneered, with aluminium sides, may be hung either way up		11 .....	65.5 .....	36/55 36/55	<b>620</b> <b>680</b>
		<b>Integrated table</b> Laminate <sup>1</sup> or beech-veneered top <sup>2</sup> , with aluminium brackets. 80cm- and 120cm- deep tables are supplied with a single leg. 160cm-deep table is supplied with two legs.		74 .....	65.5 .....	80 120 160 80 120 160	<b>795</b> <b>865</b> <b>1,210</b> <b>885</b> <b>955</b> <b>1,315</b>
							<b>960</b> <b>1,030</b>  <b>1,085</b> <b>1,155</b>

# 606 Universal Shelving System

Scale 1:50

			Internal height cm	width cm	depth cm	External height cm	width cm	depth cm	Off-white, silver, black USD	Beech USD
Scale 1:50										
		<b>Shelf with drawer</b>	7.....	56.5 .....	30.5	11 .....	65.5 .....	36	<b>510</b>	<b>575</b>
			7.....	81 .....	30.5	11 .....	90 .....	36	<b>595</b>	<b>660</b>
		<b>Cabinet: one drawer</b>	32.....	55.5 .....	30.5	39.5.....	65.5 .....	36	<b>995</b>	<b>1,145</b>
			32.....	80 .....	30.5	39.5.....	90 .....	36	<b>1,195</b>	<b>1,345</b>
		<b>Cabinet: one drawer with lock</b>	32.....	55.5 .....	30.5	39.5.....	65.5 .....	36	<b>1,035</b>	<b>1,185</b>
			32.....	80 .....	30.5	39.5.....	90 .....	36	<b>1,235</b>	<b>1,385</b>
The 65.5cm cabinet holds 30cm of suspension files and the 90cm cabinet holds 60cm of suspension files. Includes adjustable filing rails that accommodate all standard-size suspension files.										
		<b>Cabinet: two drawers</b>	15.....	56.5 .....	30.5	39.5.....	65.5 .....	36	<b>1,165</b>	<b>1,315</b>
			15.....	81 .....	30.5	39.5.....	90 .....	36	<b>1,365</b>	<b>1,515</b>
		<b>Cabinet: three drawers</b>	9.5.....	56.5 .....	30.5	39.5.....	65.5 .....	36	<b>1,335</b>	<b>1,485</b>
			9.5.....	81 .....	30.5	39.5.....	90 .....	36	<b>1,535</b>	<b>1,685</b>
		<b>Cabinet: up-and-over door</b>	33.....	62.5 .....	33	39.5.....	65.5 .....	36	<b>1,165</b>	<b>1,315</b>
			33.....	87 .....	33	39.5.....	90 .....	36	<b>1,365</b>	<b>1,515</b>
		<b>Cabinet: fold-down door with lock</b>	33.....	62.5 .....	33	39.5.....	65.5 .....	36	<b>1,245</b>	<b>1,375</b>
			33.....	87 .....	33	39.5.....	90 .....	36	<b>1,445</b>	<b>1,575</b>
		<b>Open back</b> Optional open back for wiring and ventilation				65.5 90			<b>45</b> <b>55</b>	
		<b>Internal shelf (black metal)</b> For up-and-over and fold-down door cabinets				1.5.....62.5 .....31.5 1.5.....87 .....31.5			<b>65</b> <b>75</b>	
	capacity: 108 CDs, 36 DVDs	<b>Drawer dividers (black laminate)</b> Adjustable spacing suitable for organising stationery, bottles, clothing etc; CDs and DVDs in two-drawer cabinet only				4.5.....56.5 .....30.5 4.5.....81 .....30.5			<b>68</b> <b>82</b>	
		<b>Drawer liner (charcoal-grey wool felt)</b> For use in all drawers One liner per drawer				56.5.....30.5 81.....30.5			<b>25</b> <b>30</b>	
		<b>Aluminium tray (natural anodised)</b> 2 per 65.5cm desk shelf, double shelf or cabinet 3 per 90cm desk shelf, double shelf or cabinet				6.....29 .....32			<b>65</b>	
		<b>Aluminium pencil tray (natural anodised)</b> For use with drawer dividers, only				2.....21.5.....30.5			<b>45</b>	

# 606 Universal Shelving System

**Metal** is epoxy polyester powder-coated pre-treated mild steel.

Prolonged exposure to excessive moisture is not recommended.

**Beech** is acid-catalysed lacquer over beech veneered and solid lipped laminboard (shelves) or MDF (cabinets). Beech will darken naturally when first exposed to sunlight; it is therefore advisable to move items on the surfaces during the early months of use.

The beech-veneered surfaces of the cabinets, desk shelves and tables are real beech wood. They are not artificial. Beech veneer may contain small knots that are part of the natural character of the wood, making each surface unique.

Do not subject beech to heat or moisture. Beech will darken naturally when first exposed to sunlight; it is therefore advisable to move items on the surfaces during the early months of use. Beware that electrical equipment can become hot in use. For example, put your laptop on a stand or a mat.

If you would prefer a uniform finish, we recommend you buy off-white, black or silver surfaces.

The fronts and backs of beech cabinets and shelf with drawer will be the same colour as ordered shelves (off-white, black or silver).


**Cabinet** tops/bottoms/fronts, the mounting panel and the shelf with drawer in off-white, black or silver are polyurethane lacquer over MDF.

**Colours**

Off-white	RAL 9002
Black	RAL 9005
Silver	RAL 9006

**Off-white colour**










The colour of off-white cabinets changed slightly on 1 December 2001 to become a true RAL 9002.



Vertical dimensions are +/- 0.5cm

# 620 Chair Programme

Scale 1:50


		Height cm	Width cm	Depth cm	Linen USD*	Leather USD*
<b>Low back</b>						
+  =		72.....	86 .....	76	<b>4,995</b>	<b>5,495</b>
		72.....	66 .....	76	<b>3,700</b>	<b>4,000</b>
		72.....	152 .....	76	<b>8,695</b>	<b>9,495</b>
		72.....	86 .....	76	<b>5,295</b>	<b>5,795</b>
<b>High back</b>						
+  =		90.....	86 .....	79	<b>5,495</b>	<b>5,995</b>
		90.....	66 .....	79	<b>4,350</b>	<b>4,650</b>
		90.....	152 .....	79	<b>9,845</b>	<b>10,645</b>
		90.....	86 .....	79	<b>5,795</b>	<b>6,295</b>
		42.....	64 .....	52	<b>1,995</b>	<b>2,245</b>

# 620 Chair Programme

Scale 1:50

USD

Linen  
USD Leather  
USD



## Adding individual components

Arm (left)

545

Arm (right)

545



Back (low)

675



Back (high)

995



Scuff panel

195

Chair base  
Footstool base

2,475  
1,860

Swivel

525

Chair-base plate  
with castors at front,  
feet at back

260

Joining bracket  
with one castor  
and one foot

195

Castor  
Foot

25  
25

Pig-nosed tool

25

## Replacement upholstery

Seat-cushion cover

545

595

Low-back cushion cover  
High-back cushion cover  
(inc head)

545  
825

595  
875

Footstool cushion cover

545

595

Arm upholstery (left)

375

395

Arm upholstery (right)

375

395

Chair-base cover

635

735

Footstool base cover

445

595

USD

## New cushion without upholstery

Seat cushion

155

Low-back cushion

155

High-back cushion (ex  
head)

155

Head-cushion

100

Footstool cushion

155

## Shells

The chair shells are made from hot-pressed sheet-moulding compound (similar but stronger than glass-reinforced polyester) which are polyurethane-lacquered.

## Shell colours

Off-white RAL 9002  
Black RAL 9005

## Leather

Our leather is full-grain, chrome-tanned and aniline-dyed. The surface structure has not been altered in any way, nor has any coating been applied. The result is a breathable material that shows its natural scars, scratches and wrinkles – and will develop an enviable patina with age. Importantly, the uncoated surface is breathable, allowing the leather to feel warm in winter and cool in summer.

## Colours

Olive brown Chocolate  
Red Midnight  
Cinnamon Black

## Linen

Our 100%-pure linen is soft but surprisingly durable, achieving more than 30,000 rubs on the demanding Martindale test. The linen is hypo-allergenic and breathable – and wears its characteristic slubs with pride. Its flax is grown and woven in northern Europe without the use of pesticides or irrigation – and is zero waste.

## Colours






Flax Loden  
Marine Grey

## Notes on colour

Some colour variation from batch to batch for leather and linen should be expected. Exposure to sunlight and/or oils from the skin may result in colour change over time. Natural dyes from clothes – especially indigo – may transfer to upholstery. Take care, especially when your friends visit in new clothes. Where possible, shade leather and linen from direct sunlight.

# 621 Table

Scale 1:20

Scale 1:20		Height cm	Width cm	Depth cm	Weight kg	USD	
		<b>Large</b>		45.....52.5 .....	32	5.5	<b>495</b>
		<b>Small</b>		36.....46.5 .....	30	4.5	<b>440</b>
		<b>Nesting pair</b>					<b>875</b>

<b>Materials</b> The table is injection-moulded in virgin plastic – the quest for a suitable recycled material continues.	<b>Feet</b> Adjustable feet allow for 4mm height adjustment; their use is optional.	<b>Surface</b> Hand-painted in a textured polyurethane finish, the table can be cleaned with a damp cloth. The use of abrasive cleaners should be avoided.	<b>Colours</b> Off-white Black	RAL 9002 RAL 9005
--	--	---	--------------------------------------	----------------------